

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	377	(372/10).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/14 15:18
S4	1	("20040071175").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/14 17:10
S5	1621	(257/704,710).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/14 17:15
S6	145	S5 flange	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/14 17:16
S7	1795	(257/704,710,924).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/14 17:16
S8	149	S7 flange	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 14:11
S9	415	(372/109).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/14 17:22
S10	29	S9 flange	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/14 17:31
S11	39518	("372").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/14 17:31
S12	186	S11 flange cap	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 11:36

S13	39542	("372").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/15 11:36
S14	25	S13 flange cap (cut-off or notch)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 11:36
S16	72	laser (cap or lid) (stem or base or heatsink) flange and @ad<"20021007"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	SAME	ON	2005/09/15 12:08
S17	3	laser (cap or lid) (stem or base or heatsink) flange (notch or cut-off or cut-out) and @ad<"20021007"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	SAME	ON	2005/09/15 12:05
S18	0	(laser or LED OR LD) AND (cap or lid) (stem or base or heat sink OR heatsink) flange notch (cut out or cut-out or cut-off) and @ad<"20021007"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	SAME	ON	2005/09/15 12:12
S19	222	(laser or LED OR LD) AND (cap or lid) (stem or base or "heat sink" OR heatsink) flange notch ("cut out" or cut-out or cut-off) and @ad<"20021007"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 12:13
S20	0	(laser or LED OR LD) AND (cap or lid) (stem or base or "heat sink" OR heatsink) flange notch ("cut out" or cut-out or cut-off or flat) and @ad<"20021007"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	SAME	ON	2005/09/15 12:14
S21	9	(laser or LED OR LD) AND (cap or lid) (stem or base or "heat sink" OR heatsink) notch ("cut out" or cut-out or cut-off or flat) and @ad<"20021007"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	SAME	ON	2005/09/15 12:16
S22	46	(laser or LED OR LD or light) AND (cap or lid) (stem or base or "heat sink" OR heatsink) notch ("cut out" or cut-out or cut-off or flat) and @ad<"20021007"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	SAME	ON	2005/09/15 12:16
S23	44	flange (cap or lid) (stem or base or "heat sink" OR heatsink) notch ("cut out" or cut-out or cut-off or flat) and @ad<"20021007"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	SAME	ON	2005/09/15 13:45

S24	889	(laser or diod or led or ld) and (cap or lid) (stem or base or "heat sink" OR heatsink) (notch or "cut out" or cut-out or cut-off or flat) and @ad<"20021007"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	SAME	ON	2005/09/15 13:46
S25	90	(laser or diod or led or ld) and (cap or lid) (stem or base or "heat sink" OR heatsink) (notch or "cut out" or cut-out or cut-off or flat) flange and @ad<"20021007"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	SAME	ON	2005/09/15 13:50
S26	113	(laser or diode or led or ld) and (cap or lid) (stem or base or "heat sink" OR heatsink) (notch or "cut out" or cut-out or cut-off or flat) flange and @ad<"20021007"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	SAME	ON	2005/09/15 13:50
S27	69	(stem notch cap flange).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 14:12
S28	1	(laser stem notch cap flange).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 14:12
S30	1	((laser or diode or led or ld) stem notch cap flange).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 14:13
S31	16	chikugawa.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 15:04
S32	215	(257/732).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/15 17:20
S33	4838	(257/732,81,91,98,99,100).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/15 17:20
S34	1523	S33 laser	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 17:21

S35	285	S33 laser cap	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 17:27
S36	11	S33 flange notch	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 18:03
S37	1074	(372/36).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/15 18:03
S38	1074	(372/36).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR.	OFF	2005/09/15 18:21
S39	6	S38 CUT-OFF	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 18:22
S40	11	S38 CUTOFF	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 18:23
S41	19	S38 CUTOOUT	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 18:24
S42	15	S38 CUT-OUT	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/15 18:25